

Blood protein-polymer adsorption: Implications for understanding complement-mediated hemoincompatibility

Anna E. Engberg,¹ Jenny P. Rosengren-Holmberg,¹ Hui Chen,² Bo Nilsson,³ John D. Lambris,² Ian A. Nicholls,^{1,4*} Kristina N. Ekdahl^{1,3*}

¹School of Natural Sciences, Linnæus University, Kalmar SE-391 82, Sweden

²Department of Pathology, University of Pennsylvania, 401 Stellar Chance, Philadelphia, Pennsylvania 19104

³Department of Oncology, Radiology and Clinical Immunology, Section of Clinical Immunology, Rudbeck Laboratory C5, Uppsala University Hospital, Uppsala SE-751 85, Sweden

⁴Department of Biochemistry and Organic Chemistry, Uppsala University, Box 576, Uppsala SE-751 23, Sweden

Received 7 August 2010; revised 11 October 2010; accepted 7 December 2010

Published online 11 February 2011 in Wiley Online Library (wileyonlinelibrary.com). DOI: 10.1002/jbm.a.33030

Abstract: The aim of this study was to create polymeric materials with known properties to study the preconditions for complement activation. Initially, 22 polymers were screened for complement activating capacity. Based on these results, six polymers (P1–P6) were characterized regarding physico-chemical parameters, for example, composition, surface area, pore size, and protein adsorption from human EDTA-plasma. P2, P4, and reference particles of polystyrene and polyvinyl chloride, were hydrophobic, bound low levels of protein and were poor complement activators. Their accessible surface was limited to protein adsorption in that they had pore diameters smaller than most plasma proteins. P1 and P3 were negatively charged and adsorbed IgG and C1q. A 10-fold difference in complement activation was attributed to the fact that P3 but not P1 bound high amounts of C1-inhibitor. The hydrophobic P5 and P6 were low complement activators. They selectively bound apolipoproteins AI and AIV

(and vitronectin), which probably limited the binding of complement activators to the surface. We demonstrate the usefulness of the modus operandi to use a high-throughput procedure to synthesize a great number of novel substances, assay their physico-chemical properties with the aim to study the relationship between the initial protein coat on a surface and subsequent biological events. Data obtained from the six polymers characterized here, suggest that a complement-resistant surface should be hydrophobic, uncharged, and have a small available surface, accomplished by nanostructured topography. Additional attenuation of complement can be achieved by selective enrichment of inert proteins and inhibitors. © 2011 Wiley Periodicals, Inc. *J Biomed Mater Res Part A*: 97A: 74–84, 2011.

Key Words: polymers, biomaterials, complement, plasma protein adsorption hemocompatibility

INTRODUCTION

Modern medicine uses a range of biomaterials, for example, in implants, biosensors, and scaffolds, with or without drug release, etc., and there is consequently an increasing need for new, biocompatible materials. Medical science has reached the stage when most materials can be used clinically, albeit in combination with systemic anticoagulants (heparin, warfarin, platelet receptor inhibitors, etc.). Thus, primary activation of platelets and coagulation is not the main problem. By contrast, inflammation, for example, during hemodialysis where complement is alimantal in initiating adverse reactions remains one of the major problems. For instance, inflammation is likely a major cause of arthrosclerosis development frequently seen in this treatment. Generation of C5a has been demonstrated to contribute to

hemodialysis-associated thrombosis by inducing tissue factor (a key initiator of coagulation *in vivo*) and cytokines in peripheral blood neutrophils.¹ Using clinically relevant models for hemodialysis, it was demonstrated that inhibition of complement at the level of C3 efficiently reduced the production of tissue factor and cytokines by neutrophils.¹ This is but one of many recently identified mechanisms for cross-talk between the different cascade systems and cellular elements of the blood.²

Most biomaterials come into contact with blood, either transiently during implantation or permanently. When an artificial surface is exposed to blood, plasma proteins adsorb and form a monolayer on the surface of the material within seconds. The composition of the adsorbed protein layer, as well as the conformation of the proteins, are

Additional Supporting Information may be found in the online version of this article.

*These authors contributed equally to this work.

Correspondence to: K. N. Ekdahl; e-mail: kristina.nilsson-ekdahl@lnu.se

Contract grant sponsor: Swedish Research Council (VR); contract grant numbers: 2009-4675, 2009-4462, 2006-6041

Contract grant sponsor: Swedish Research Council/SSF/Vinnova; contract grant number: 60761701

Contract grant sponsors: Carl Trygger's Foundation, The Linnæus University

Contract grant sponsor: National Institutes of Health (USA); contract grant numbers: EB003968, AI068730

unique for each biomaterial and is determined by the chemical properties of the surface of that material.^{3,4} Proteins which are known to undergo a surface-induced change in conformation are complement component C3⁴ and IgG,⁵ both of which can induce an activation of the complement system on the biomaterial surface and on top of the adsorbed protein layer; ultimately leading to recruitment, activation and binding of leukocytes to the surface.⁶⁻⁸ Other examples are adsorbed Factor XII⁹ and fibrinogen,¹⁰ which have been shown to cause contact activation of the coagulation system and activation of platelets, respectively. Reactions at all these stages contribute to the compatibility of a material.^{6,11}

In several reports the composition of the protein layer, either on modified model surfaces^{12,13} or authentic biomaterials, for example, from membranes after hemodialysis or *ex vivo* perfusion,^{14,15} have been investigated but the study protocols and results have differed considerably, which makes it difficult to correlate the structure of a given material with a biological outcome. Historically, such studies have preferentially used techniques, which reflect the topography of the protein layer, which includes studies using antibodies detected by immunochemical or optical techniques.^{5,12,13} In more recent studies, the total amount of bound proteins have been desorbed and analyzed by SDS-PAGE followed by identification by Western blotting and/or mass spectrometry.¹⁵⁻¹⁷ The reason for variations in the results may be due to that the topography of the protein layer differs from that of the total layer (desorption) and perhaps even more importantly the source of plasma proteins.

Plasma proteins have been provided in purified form or as serum or plasma (diluted or undiluted), or as whole blood anticoagulated with heparin, citrate, hirudin or EDTA, or without any added anticoagulantia (4,5,7,9,10,12-17). This makes the results widely dispersed due to the fact that the cascade systems are active or inhibited dependent on the additive or the source of plasma protein. In this article, we wanted to focus on the initial protein adsorption, which determines the outcome of the material-blood interaction. For that reason, we have selected to use EDTA in the protein adsorption studies, since it totally inhibits both complement and coagulation activation and leaves most plasma proteins in a state similar to when they initially contacted the material surface.

The objective of this study was to synthesize polymers with different physico-chemical properties to study the impact on protein adsorption, to be used as a model system with the primary aim to understand which proteins that are adsorbed on a hemocompatible surface, and secondly to implement this knowledge to construct tomorrow's biomaterials with improved hemocompatibility compared to those used in the clinic today.

The aim is that the novel polymers described here ultimately should interact with biological tissue, including blood, for example, in the form of nanoparticles or immune columns with clearance functions, as drug release modalities, or as injectable polymers.¹⁸⁻²⁰ Therefore, we only used

monomers and crosslinkers, commonly used in polymer synthesis, that were soluble in water or ethanol to minimize future toxic effects and to allow better polymerization in contact with tissues. We synthesized an array of 22 polymers by copolymerization of monomers and crosslinkers (selected to provide a range of functionalities: acidic, basic, neutral, hydrophobic) since this approach enables synthesis of a large number of polymers with great variability regarding physico-chemical properties in a comparatively easy and rapid way.

Complement activation is a clinically relevant biological property and one of the parameters included in the criteria for testing of the hemocompatibility of biomaterials defined in ISO 10993-4.²¹ The polymers were therefore screened for activation of the complement system using plasma, with the specific thrombin inhibitor hirudin, which leaves complement function intact,^{22,23} and six polymers with heterogeneous composition and complement activation properties were chosen for further characterization.

EXPERIMENTAL PROCEDURES

Chemicals and Reagents

Diacryloylpiperazine (DAP, >99%) and 2-hydroxyethyl methacrylate (HEMA, >99%) were obtained from Fluka. Divinylbenzene (DVB, 80%), ethylene glycol dimethacrylate (EGDMA, 98%), *N*-isopropyl acrylamide (IPAAm, 97%), methacrylic acid (MAA, 99%), styrene (99%), ammonium persulfate (APS, 98%) and *N,N,N'*-tetramethylene diamine (TEMED, 99%) were obtained from Sigma-Aldrich (St Louis, MO). Soda glass was purchased from Kebo, polystyrene flakes (PS) were obtained from Alfa Aesar, and polyvinyl chloride (PVC $\leq 75 \mu\text{m}$) from Polysciences. Ethanol (99.7%) was obtained from Solveco. 2,2'-Azobisisobutyronitrile (AIBN, 98%) was obtained from Janssen Chimica and was recrystallized from methanol before use. EGDMA and DVB were purified by extraction with 0.1M NaOH, dried over MgSO₄, filtered, and passed through activated Al₂O₃ prior to use. MAA was purified by vacuum distillation, and styrene was passed through activated Al₂O₃ prior to use.

Polyclonal antibodies recognizing the following human proteins were obtained from Dako (Glostrup, Denmark): α -2-macroglobulin, C1q, fibrinogen, C3 (C3c), C4 (C4c), C5, IgG, haptoglobulin, transferrin, human serum albumin (HSA), antithrombin, hemopexin, and apolipoprotein AI (ApoAI). Polyclonal antibodies recognizing human C1-inhibitor (C1-INH), factor H, factor I, vitronectin, C4b-binding protein (C4BP), and factor XII were purchased from The Binding Site (Birmingham, UK), and anti-human apolipoprotein AIV (ApoAIV) was obtained from Abcam (Cambridge, UK).

Synthesis of polymer particles

In a typical polymer synthesis, functional monomer and crosslinker were dissolved in the porogen by sonication. Solutions were then purged with N₂ for 2 min before the addition of initiator. Polymerization was carried out in a 55°C water bath for up to 24 h to achieve complete polymerization. The obtained polymer monoliths were ground and sieved through a 63- μm -mesh sieve, followed by

sedimentation from acetone (75 mL, 3 × 20 min) to remove any fine particles. The resulting polymers were sieved a second time (25 μm), and the fraction containing the 25- to 63-μm particles was collected, air-dried overnight and stored at room temperature until use.

Endotoxin determination

The polymer particles were tested for the presence of endotoxins using an Enodafe PTS Portable Test System with Limulus Amebocyte Lysate (LAL) Test Cartridge (Charles River Laboratories, Charleston, SC).

Blood

Pools of human serum, hirudin-plasma and EDTA-plasma were prepared from blood drawn from six healthy donors into Vacutainer™ tubes (Becton, Dickinson and Co., Plymouth, UK). To prepare the serum pool, the blood was allowed to clot at room temperature for 45 min in Vacutainer™ glass tubes without additives. The hirudin-plasma pool was prepared by manual addition of the recombinant form of the thrombin inhibitor hirudin, lepirudin (Refludan™, Aventis Pharma, final concentration 50 μg/mL), via a fine syringe into a Vacutainer™ glass tube without other additives; pre-filled EDTA plastic tubes were used to collect the EDTA-plasma pool. The supernatants were collected and pooled after centrifugation at 3450g for 25 min at 20°C. The pools were stored at -80°C prior to use. This study was performed with the consent of the Ethical Committee of the University Hospital of Linköping, Sweden.

Complement-activating ability of the polymers

To decide on polymers to study in greater detail, the complement-activating properties of the synthesized materials were analyzed and used as a selection tool (as a supplement to the composition data). A 5-mg sample of each polymer was incubated with hirudin-plasma (which contains an active complement system, and has been shown to be suitable for *in vitro* complement activation experiments^{22,23}) in heparinized 2-mL Eppendorf tubes at 37°C for 30 min with rotation. After incubation, the samples were centrifuged in a tabletop centrifuge, the plasma was collected, and EDTA was added (final concentration 10 mM, to avoid any further activation of the complement system). The remaining polymer particles were treated with 2% SDS (in PBS) for 20 min at 37°C in order to elute any adsorbed C3a molecules. The particles were then centrifuged, and the eluates were collected. The samples were stored at -80°C prior to C3a analysis. As a control, an aliquot of plasma was incubated in the same manner as described above, but without the addition of polymer.

C3a ELISA

Generation of the anaphylatoxin C3a was used as an indicator of complement activation caused by the polymers. The levels of C3a were measured in both the plasma samples and the eluates by sandwich ELISA, using mAb 4SD17.3, which is specific for a neo-epitope which is expressed in C3a and hydrolyzed C3 (C3H₂O) but not in native, unacti-

vated C3, as the capture antibody and biotinylated anti-human C3a, together with HRP-conjugated streptavidin (GE Healthcare, Uppsala, Sweden), for detection. Staining was performed with o-phenyldiamine dihydrochloride (OPD, 0.25 mg/mL, Sigma) dissolved in citrate-phosphate buffer (0.1M, pH 5) containing H₂O₂ (0.5 μL/mL buffer). The absorbance was measured at 490 nm. Zymosan-activated serum calibrated against a solution of purified C3a was used as a standard; values are given in ng/mL, and pooled zymosan-activated serum from blood donors was diluted 1:500 and used as a control.²⁴

Selection of polymers

Six polymers were selected for further detailed examination. These six materials varied in terms of their composition, complement-activating ability, and C3a adsorption capacity. The selected polymers, all of which had a crosslinker-to-monomer ratio of 80:20, were designated P1 (MAA/DAP), P2 (MAA/DVB), P3 (MAA/EGDMA), P4 (IPAAm/EGDMA), P5 (Styrene/EGDMA), and P6 (HEMA/EGDMA). These six polymers were also synthesized at crosslinker:monomer ratios of 60:40 and 90:10 to investigate whether the crosslinking ratio affected the complement activation induced by the polymer. Reference materials of the same size range were prepared as described above from commercially obtained PS, PVC, and glass beads.

Physical characterization of the polymer particles

Scanning electron microscope (SEM) micrographs of the polymers (P1-P6, PS, PVC and glass) were prepared using a high vacuum SEM (JSM 840, JEOL) at 10 kV. BET surface area analysis was performed by N₂ adsorption on a Micromeritics ASAP 2400 instrument. Elemental analyses (C, H) were performed by Mikrokemi AB (Uppsala, Sweden). FTIR spectra were recorded using polymer samples dispersed in KBr on a Nicolet Avatar 320 FT-IR instrument by diffuse reflectance IR spectroscopy.

Incubation of polymer particles prior to protein analyses

Polymer particles were incubated in plasma (4 mg/mL) containing 10 mM EDTA (which inhibits both the complement and the coagulation system, and is therefore preferable for protein adsorption studies) for 30 min at 37°C with continuous rotation. After the incubation, the samples were centrifuged in a tabletop centrifuge, and the plasma was discarded. The particles were carefully washed three times with PBS-Tween (PBS containing 0.05% Tween 20) prior to the determination of the total amount protein, gel electrophoresis, COPAS, and the particle ELISA experiments.

Quantification of the total protein adsorbed to the synthesized polymer particles

After incubation of the particles in EDTA-plasma, as described above, the adsorbed proteins were eluted from the particles by the addition of 2% SDS (in PBS), followed by incubation for 20 min at 37°C. The samples were centrifuged, and the eluates were collected. Protein levels were

measured both in the eluate fractions, as well as on the remaining particles in order to detect any protein that might have been left behind as a result of incomplete elution. Measurements were achieved with BCA Assay Kit according to the manufacturer's recommendations (detergent-compatible, Pierce, Rockford, IL), with bovine serum albumin as a standard. The absorbance at 560 nm was determined for the eluate fractions as well as the supernatants from the assayed particle samples.

Visualization of adsorbed protein pattern by SDS-PAGE

Two milligrams of each particle were incubated in EDTA-plasma, hirudin-plasma, or serum and washed with PBS-Tween as described above. 5X SDS-electrophoresis buffer (12 mM Tris, 0.4% SDS, pH 6.8) was added to the particles, and the samples were heated to 99°C for 5 min. The particles were then loaded onto 10% SDS-PAGE gels, and after separation, the proteins were stained with Coomassie brilliant blue (BDH Biochemical, England).

Identification of enriched proteins by Western blot analysis

To identify proteins that showed clear enrichment on the SDS-PAGE gel (compared to the levels in plasma) the adsorbed proteins from 0.5 mg particles were separated on SDS-PAGE gels as described above. After separation, the proteins were transferred to PVDF Immun-Blot membranes (BioRad) and the membranes were blocked with 1% bovine serum albumin in PBS-Tween, and developed using antibodies against a broad selection of plasma proteins for identification. The selection of antibodies was primarily based on results from previously performed experiments, where plasma proteins adsorbed to a PS surface were eluted, separated by SDS-PAGE, and identified by peptide mass fingerprinting with the MALDI-TOF technique. These identified proteins included HSA, C3, C4, α 2-macroglobulin, IgG, Apolipoproteins (Apo) ApoAI and ApoAIV, transferrin, fibrinogen, and haptoglobin. In addition, we included antibodies against vitronectin and C1q in attempts to identify proteins with molecular weights \approx 75 kDa and \approx 410 kDa, respectively. All antibodies were biotinylated using biotin-amidocaproate *N*-hydroxysuccinimide ester, and HRP-conjugated streptavidin was used for antibody detection, followed by staining with 3,3'-diaminobenzidine tetrahydrochloride (Sigma, Steinheim, Germany) dissolved in PBS (1 mg/mL with 0.5 μ L H₂O₂/mL).

COPAS analysis

Complex Object Parametric Analyzer and Sorter (COPAS) is a commercial available flow cytometer-like instrument enabling fluorescence measurement of large particles and objects (20–1500 μ m, Union Biometrica, Somerville, MA). Prior to the flow cytometer analysis, antibodies were FITC-labeled using a standard protocol. The polymer particles were incubated in EDTA-plasma and washed with PBS-Tween as described above, then labeled with one of the following FITC-labeled antibodies: anti-C3c, anti-C1q, anti-ApoAI, or anti-vitronectin. As a negative control, a FITC-

labeled rabbit IgG fraction from nonimmunized animals was used. Unbound antibodies were removed by washing the particles with PBS-Tween, and the samples were kept in the dark, on ice until COPAS-analysis.

A minimum of 1500 particles were collected in each COPAS measurement. The flow cytometer was equipped with a 488/514 multiline laser, and the acquired data were processed with FCS Express Software (De Novo Software, CA) yielding histograms and mean fluorescence intensity (MFI) values. Each experiment was performed four times, and the negative control was subtracted from each value.

Quantification of individual proteins

To quantify the levels of specific plasma proteins that were adsorbed to the surface of each polymer, an ELISA-like method was developed. After incubation with EDTA-plasma and washing of the particles as described above, antibodies were added to the polymers, and the samples were incubated in 2-mL Eppendorf® polypropylene tubes (Sarstedt, Nümbrecht, Germany). The antibodies (based on the MALDI and western blot experiments described above and supplemented with some selected abundant plasma proteins) were recognizing the complement components C3, C4, C5, C1q, including the regulators of complement activations (RCAs) C1-inhibitor (C1-INH), factor H, factor I, vitronectin, and C4-binding protein (C4BP); the coagulation proteins factor XII, antithrombin, and fibrinogen; the lipoproteins apolipoprotein AI and AIV; the transport proteins HSA, haptoglobin, hemopexin, and transferrin; and IgG and alpha-2-macroglobulin, respectively. As a negative control, a purified IgG fraction from a nonimmunized rabbit was used. All antibodies were biotinylated, and HRP-conjugated streptavidin was used for detection. Staining was performed with OPD, the samples were centrifuged and the absorbance of the supernatants was measured at 490 nm. Each experiment was performed in triplicate, and the negative control was subtracted from each value.

Statistical analysis

All experiments were performed three to six separate times (as stated in the figure legends), and the data are presented as mean values + SEM. Statistical significance was calculated using Kruskal-Wallis test with Dunn's *post hoc* test. Significance was tested using a Pearson correlation test.

RESULTS

Selection of polymers

The polymeric materials ($n = 22$) were first synthesized with crosslinker:monomer ratios of 80:20, then ground and sieved to yield polymer particles in the size range of 25–63 μ m. When the complement-activating ability (indicated by the generation of C3a) of the materials was investigated in hirudin-plasma, the results varied greatly, with values ranging from close to background levels (\approx 0 ng/mL) to dramatically high levels of C3a (>12,000 ng/mL) after subtraction of the control value. The polymers also exhibited variable adsorption capacities for the generated C3a, ranging from 15 to 95% of the total C3a measured in each sample (see

TABLE I. Generation of the Complement Activation Fragment C3a, After Incubation of the Polymer Particles in Hirudin-Plasma

Polymer composition	C3a total ng/mL (% adsorbed)	Polymer composition	C3a total ng/mL (% adsorbed)	Polymer composition	C3a total ng/mL (% adsorbed)
DAP + water		DVB + EtOH		EGDMA + EtOH	
MAA (P1 ^a)	12,600 ± 590 (45)	MAA (P2 ^a)	≈ 0 ± 88 (48)	MAA (P3 ^a)	1100 ± 170 (95)
MA	12,500 ± 380 (20)	MA	1400 ± 250 (20)	MA	900 ± 320 (30)
AAM	12,700 ± 590 (20)	AAM	2900 ± 490 (15)	AAM	2000 ± 270 (25)
IPAAm	7400 ± 580 (20)	IPAAm	1600 ± 760 (20)	IPAAm (*P4)	2000 ± 200 (15)
HEMA	13,700 ± 700 (20)	Styrene	740 ± 250 (20)	Styrene (*P5)	1000 ± 60 (25)
AMPSA	5000 ± 220 (85)	HEMA	≈ 0 ± 360 (20)	HEMA (*P6)	2100 ± 200 (40)
		4-VP	≈ 0 ± 160 (15)	4-VP	4300 ± 440 (85)
		AMPSA	^b	AMPSA	^b
Polystyrene (PS)	850 ± 260 (30)	Polyvinyl chloride (PVC)	3000 ± 200 (15)	Glass	950 ± 160 (30)

The results are shown as mean values ($n = 4$) ± SEM, and the amount of C3a adsorbed to each polymer is shown as a percentage of the total C3a. This analysis was used as a selection tool in order to choose polymers with heterogeneous properties (i.e., complement-activating capacity and adsorption ability) for further detailed studies.

DAP, *N,N*-diacryloylpiperazine; DVB, divinylbenzene; EGDMA, ethylene glycol dimethacrylate; MAA, methacrylic acid; IPAAm, *N*-isopropyl acrylamide; HEMA, 2-hydroxyethyl methacrylate; styrene; MA, methallyl alcohol; AAM, acrylamide; 4-VP, 4-vinylpyridine; AMPSA, 2-acrylamido-2-methylpropane sulfonic acid.

^a Polymers selected for further surface studies.

^b Not fully polymerized (excluded).

Table I). This complement-activation data, together with the composition of the material, was used to select six polymers to be characterized in detail; P1 (MAA/DAP), P2 (MAA/DVB), P3 (MAA/EGDMA), P4 (IPAAm/EGDMA), P5 (Styrene/EGDMA), and P6 (HEMA/EGDMA). (Table II, Fig. 1). The chosen polymers were heterogeneous, being variable in terms of composition, complement-activating ability, and C3a adsorption capacity. The polymer particles were characterized with regard to their physical properties, for example, pore size and surface area and the micro-topography of each polymer surface was visualized by scanning electron microscopy (SEM). In addition, we determined the total protein adsorption ability, and performed detailed mapping of the adsorbed protein patterns on the polymers using a complex objects parametric sorter and analyzer (COPAS), followed by a particle-ELISA. A flow chart describing the experimental setup is shown in Figure 2.

The six polymers (P1–P6) were also synthesized with crosslinker:monomer ratios of 60:40 and 90:10 (in addition to 80:20, described above), and the levels of generated C3a were analyzed after incubation in hirudin-plasma. No significant relationship between the C3a levels and the crosslinker:monomer ratio was seen for polymers P2–P6 (data not

shown). However, polymer P1 (DAP/MAA) displayed a dose-dependent correlation between the increasing generation of C3a and increasing amounts of the crosslinker DAP (Fig. 3, $p < 0.01$). Further studies were performed with a crosslinker:monomer ratio of 80:20 for all the polymers.

Endotoxin determination

The endotoxin content of all tested polymer particles were found to be below the detection limit of the assay, that is, 0.01 EU/mL or 1 pg/mL. The value for the negative control was also <0.01 EU/mL and the value for the positive control included in the kit was 0.12 EU/mL.

Physical and chemical properties of polymer particles

The SEM micrographs (magnification 7500×) show large differences of the polymer morphologies, as observed in the μm-range. P1, P3, and P6 were found to have rough surfaces, while the surfaces of P2, PS and glass were shown to be much smoother. P4 and P5 exhibit an intermediate roughness (Fig. 4). BET analysis of the polymers revealed large differences in their gas-accessible surface areas, with values ranging from 6.1 m²/g for glass to 188 m²/g for P1. The average pore diameter also varied greatly, from 28 Å

TABLE II. Composition and Predicted Chemical Properties at Physiological pH of the Polymers Selected for Further Study

Polymer	Monomer (20%)	Crosslinker (80%)	Predicted properties of the polymer at physiological pH	Functional group
P1	MAA	DAP	Hydrophilic negatively charged	–COO [–]
P2	MAA	DVB	Hydrophobic negatively charged	–COO [–]
P3	MAA	EGDMA	Hydrophobic negatively charged	–COO [–]
P4	IPAAm	EGDMA	Hydrophobic	–CONH ₂ CH(CH ₃) ₂
P5	Styrene	EGDMA	Hydrophobic	–C ₆ H ₅
P6	HEMA	EGDMA	Hydrophobic	–OH
PS	Styrene	–	Hydrophobic	–C ₆ H ₅
PVC	Vinyl chloride	–	Slightly hydrophobic	–Cl
Glass	–	–	Hydrophilic negatively charged	–SiOH/SiO(–)

The properties of the polymers were predicted based on the chemical characteristics of each component presented in Figure 1.




FIGURE 1. Molecular structures and properties of the monomers and crosslinkers used to synthesize the six selected polymers. The calculated octanol/water partition coefficients (cLogP values) were obtained with MarvinSketch 4.1.5, Copyright © 1998–2007 ChemAxon Ltd.

for P2 to 134 Å for P1 (and >500 Å for glass; Table III). FTIR analyses showed peaks (O–H, C–H, C=O, C–O, C–N) characteristic of each polymer type (Supporting Information Table S1). Elemental analysis of the synthesized polymers (C, H) corresponded well with the theoretical values of polymer composition (Supporting Information Table S2).

Quantification of total protein adsorbed to the synthesized polymer particles

The total amount of protein adsorbed to the polymers was determined after incubation in EDTA-plasma and elution with 2% SDS. Protein levels were measured in the eluted fraction as well as on the polymers after the elution to allow us to detect any potential remaining proteins that had not been completely eluted. The amount of protein bound per mg of polymer was variable, from ~ 20 µg/mg polymer for P2, P4, and the control particles to values as much as four times higher for P6; P6 bound the highest level of proteins and was closely followed by P3. The effectiveness of the elution step was found to be polymer-dependent, with incomplete elution occurring from the polymers that dis-




FIGURE 2. Flow-chart of the experimental set-up in this project.




FIGURE 3. Generation of the complement activation fragment C3a after incubation of the polymer P1 (DAP/MAA, at three different crosslinker:monomer ratios) in hirudin-plasma. Adsorbed C3a molecules were eluted from the polymers with 2% SDS. Decreasing amounts of the crosslinker DAP resulted in less activation of the complement system. The results are presented as % C3a generation compared to the crosslinker:monomer ratio 80:20, which here corresponds to 100% for plasma and eluate, respectively. The results are shown as mean values +SEM ($n = 4$); the results for the ratios 90:10 and 60:40 were significantly higher and lower, respectively, than the value for the 80:20 ratio ($p < 0.01$).

played the highest total binding of protein. No detectable residual protein was seen in the case of the polymers with a lower total protein binding (Fig. 5). There was a strong correlation ($p < 0.02$) between the pore size and the level of protein binding of the polymers. In contrast, there was no covariation between the surface area and the pore size of the polymers under used conditions.

SDS-PAGE and identification of enriched proteins by Western blot analysis

To visualize the plasma proteins adsorbed to 2-mg polymer particle samples, nonreducing SDS-PAGE was stained with Coomassie brilliant blue (see Fig. 6). The gel revealed great differences in the properties of the polymers, both in terms of the total amount of protein adsorbed as well as the composition of the adsorbed protein pattern. P1, P3, and P6 showed a high adsorption capacity (consistent with the results above), with a pattern very different from the plasma reference (hirudin plasma diluted 1/50). P1 had a high affinity for a high-molecular weight protein, which was identified as the complement recognition molecule C1q (~410 kDa) by Western blot analysis. P5 and P6 displayed a similar binding pattern, with a considerable enrichment of three proteins that were just faintly visible in plasma reference lane. These proteins were identified as vitronectin (~75 kDa), apolipoprotein AIV (~45 kDa), and apolipoprotein AI (~25 kDa). In contrast, HSA (migrating at ~55–60 kDa) adsorbed in similar amounts to all surfaces. C3, C4, α2-macroglobulin, IgG, transferrin, fibrinogen, and haptoglobin were detected on the particles and all proteins were further quantified as described below. Similar macroscopic




FIGURE 4. Scanning electron micrographs of the synthesized polymers P1–P6 and the reference polymers PS, PVC and soda glass (bar = 7 μm , magnification = $\times 7500$).

results were obtained after incubation in EDTA-plasma as well as serum (data not shown).

COPAS analysis

COPAS analysis was used to determine the degree of adsorption of four selected proteins (C1q, C3, vitronectin, and ApoAI). The results showed extensive differences in the amount of surface-exposed protein on the various materials. C1q was confirmed to bind preferentially to P1 and also P3. High levels of vitronectin were found on P1, P2, and P3, intermediate levels on P5, while lower levels of surface exposed vitronectin were detected on P4 and P6 together with the reference materials. Polymer P5 bound the highest

levels of ApoAI, while P1, P3, and P6 adsorbed the highest levels of C3 (See Fig. 7, and compare to Table IV).

Quantification of individual proteins

An ELISA-like method was developed to detect a large number of plasma proteins adsorbed to the polymers. Mapping of the individual plasma proteins on the surface of 1-mg samples of each polymer was performed after incubation in EDTA-plasma. Antibodies recognizing complement- and coagulation-associated proteins, including several RCAs, as well as other abundant plasma proteins, were used to identify the adsorbed proteins. This technique was less time-consuming than the COPAS analysis. The results were well

TABLE III. Surface Area and the Average Pore Size of the Polymer Particles, as Determined by BET Studies (N_2 Adsorption)

	MAA/DAP (P1)	MAA/DVB (P2)	MAA/EGDMA (P3)	IPAAm/EGDMA (P4)	Styrene/EGDMA (P5)	HEMA/EGDMA (P6)	PS	PVC	Glass
Surface area (m^2/g)	188	161	203	130	25	105	11	17	6.1
Average pore diameter (\AA)	133.5	27.6	84.4	32.1	101.6	116.6	45.4	40.9	512




FIGURE 5. Protein adsorbed to 1-mg polymer particles after a 30-min incubation in EDTA-plasma. After incubation, the particles were carefully washed, and the proteins were eluted with 2% SDS. The amount of protein in the eluate as well as the protein remaining on the particles was measured to account for any incomplete elution. The results shown are means + SEM ($n = 6$).

correlated ($p < 0.0001$), despite the differences in quantifying the particles (by weight in the particle ELISA and by counting events in the COPAS).

The results revealed widely heterogeneous binding of proteins to the various polymers. All of the analyzed proteins were positively identified on each of the polymers as well as on the control particles. Both P1 and P3 were found to adsorb high levels of the complement initiating molecules IgG and C1q. Both polymers bound high and similar amounts of the RCA factor H, while P1 bound much less of the two inhibitors C1INH and vitronectin compared to P3.

The results also showed an enrichment of the two apolipoproteins (AI and AIV) on P6. Polymer P3 bound the majority of the examined proteins to a high degree, while P2




FIGURE 6. Patterns of plasma proteins adsorbed onto 2 mg of polymer particles after a 30-min incubation in hirudin-plasma. The gel shows, from the far left: molecular marker (M), hirudin plasma (P) diluted 1/50; P1 through P6 are the synthesized polymers, followed by the reference polymers PS, PVC, and glass. To identify the proteins that were enriched on polymers P1, P5, and P6, Western blot analysis was used, and the results showed that P1 had a high affinity for C1q (≈ 410 kDa, arrow 1), whereas P5 and P6 were enriched in vitronectin (≈ 75 kDa, arrow 2), apolipoprotein AIV (≈ 45 kDa, arrow 3), and apolipoprotein AI (≈ 25 kDa, arrow 4) on their surfaces. In contrast, HSA (migrating at ≈ 55 – 60 kDa) was seen in similar amounts to all surfaces. Comparable results were obtained when the particles were incubated in EDTA-plasma or serum (data not shown). [Color figure can be viewed in the online issue, which is available at www.interscience.wiley.com.]

and P4 showed a generally low level of protein binding. The results are presented as mean OD-values/mg of polymer after subtraction of values for the negative control for each polymer (see Table IV, compare to Fig. 7).




FIGURE 7. Adsorption profiles for C1q, C3, vitronectin (Vn) and apolipoprotein AI (ApoAI) on the synthesized polymers and the reference materials, measured with COPAS flow cytometry, after incubation in EDTA-plasma. The results are shown as mean values of mean fluorescence intensity (MFI) + SEM ($n = 4$). In each experiment a minimum of 1500 particles were collected and analyzed.

TABLE IV. The Levels of Adsorbed Plasma Proteins on the Polymer Surfaces were Measured After Incubation with Human EDTA-Plasma for 30 min

Identified protein	MAA/ DAP (P1)	MAA/ DVB (P2)	MAA/ EGDMA (P3)	IPAAm/ EGDMA (P4)	Styrene/ EGDMA (P5)	HEMA/ EGDMA (P6)	PS	PVC	Glass
α -2-macroglobulin	0.38	0.06	0.34	0.11	0.08	0.21	0.04	0.05	0.06
C4BP	1.3	0.12	0.65	0.08	0.29	0.30	0.05	0.09	0.07
C1q	1.5	0.11	1.6	0.17	0.26	0.63	0.09	0.06	0.07
Fibrinogen	0.36	0.40	0.62	0.48	0.57	0.45	0.24	0.12	0.09
C4	0.99	0.16	0.95	0.25	0.60	1.4	0.11	0.10	0.05
C3	1.4	0.20	0.75	0.12	0.25	1.1	0.08	0.09	0.05
C5	0.74	0.07	0.35	0.08	0.10	0.37	0.06	0.05	0.04
Factor H	1.4	0.34	1.5	0.16	0.31	0.52	0.09	0.08	0.06
IgG	0.67	0.08	0.54	0.07	0.1	0.15	0.05	0.08	0.05
Factor XII	0.72	0.11	1.3	0.14	0.19	0.54	0.08	0.05	0.16
Haptoglobin	1.4	0.11	0.69	0.20	0.15	0.39	0.06	0.08	0.05
C1-inhibitor	0.58	0.13	1.6	0.58	0.58	1.3	0.11	0.08	0.09
Factor I	0.40	0.06	0.22	0.07	0.11	0.21	0.04	0.06	0.05
Vitronectin	0.57	0.94	1.5	0.32	0.28	0.60	0.14	0.08	0.16
Transferrin	0.54	0.09	0.40	0.06	0.06	0.14	0.06	0.07	0.05
Albumin	0.41	0.44	0.81	0.10	0.30	0.35	0.17	0.09	0.06
Antithrombin	0.55	0.25	1.2	0.12	0.16	0.59	0.07	0.16	0.07
Hemopexin	0.61	0.16	0.88	0.10	0.14	0.26	0.05	0.06	0.05
ApoAIV	0.07	0.06	0.23	0.06	0.07	0.18	0.05	0.06	0.13
ApoAI	0.10	0.27	0.25	0.07	0.17	0.78	0.08	0.06	0.05

The surface-bound proteins were identified with an ELISA-like method in which the adsorbed proteins were measured directly on the particles, as described in Experimental Procedures. The results are shown as mean OD-values on the supernatants. Each experiment was performed in triplicate, and the negative control was subtracted from each value.

DISCUSSION

In this work, we have synthesized an array ($n = 22$) of polymers using combinations of three cross-linkers and eight different monomers (selected to provide a range of functionalities; acidic, basic, neutral, hydrophobic) to study how the initial adsorption of plasma proteins influences the biological response. In this study we chose to work with polymer particles rather than planar polymer surfaces because this approach: (1) provides a higher surface/plasma ratio which enables identification of proteins binding in low amounts; (2) enables the use of the flow cytometry based COPAS technique to visualize protein binding on the polymer surfaces; (3) was the basis to develop the particle ELISA (using Tween to minimize the nonspecific binding of proteins, including detecting antibodies) which provides the basis for a higher throughput of analysis of the generated polymers compared to what would be possible using planar surfaces. We found that there was an apparent association between the physicochemical properties of the novel polymers, the amount of adsorbed proteins and the composition of the initially formed protein monolayer and how the polymers elicited complement activation.

The complement activation induced by the novel polymers in hirudin-anticoagulated plasma, was shown to vary widely. In general, all polymers containing the hydrophilic crosslinker DAP were found to activate the complement system to a high or very high degree, while the polymers that contained either one of the hydrophobic crosslinkers DVB or EGDMA only induced a low or moderate complement activation (in hirudin plasma where the complement system is fully active). The complement activating data was used to

select six polymers for further detailed studies with the goal to select as heterogeneous materials as possible, both regarding material composition and complement activating ability. The monomer MAA is commonly used in polymer syntheses and was therefore selected with all three cross-linkers resulting in the negatively charged polymers P1-P3. P3-P6 consisted of the crosslinker EGDMA, together with four monomers, giving rise to hydrophobic polymers that were uncharged, with the exception of P3, which was hydrophobic and negatively charged.

The six polymers were further characterized with regard to deposition of the initial monolayer of protein on the surfaces. These studies were performed without interference of the cascade systems in EDTA-plasma, where both the complement and the coagulation system were totally inactive. The unique protein adsorption fingerprints of each polymer that were obtained after contact with plasma or serum were visualized with SDS gel electrophoresis. These results are consistent with the results obtained from the quantification of total adsorbed protein, with higher levels of proteins adsorbed onto P1, P3, P5, and P6 and significantly lower levels onto P2 and P4, which resembled the reference polymers PS, PVC, and glass.

The low complement activating properties of P2 and P4 and the control polymers is most likely explained by the low protein adsorption. This is caused by the fact that the pore sizes of P2 and P4 as well as PS and PVC were three times smaller than those of the other polymers (30–40 Å vs. >100 Å), based on the BET analysis data. Smaller pores limit the total accessible surface area for the proteins by sterically hindering the binding of many proteins of medium

molecular size (50–100 kDa), such as HSA (≈ 69 kDa), with dimensions of $80 \times 80 \times 30 \text{ \AA}$ ²⁵ or high molecular size (>100 kDa), such as IgG (≈ 150 kDa), with dimensions of $100 \times 140 \times 45 \text{ \AA}$.²⁶ This notion was supported by the absence of correlation between the surface area accessible to N_2 and the total amount of proteins adsorbed to the P1–P6. Others have previously identified pore size to be of great importance for the adsorption of proteins to a biomaterial,²⁷ as well as for the biological response elicited by the material.^{28,29} The pore size in the glass particles with an estimated diameter of $>500 \text{ \AA}$ is by far larger than the diameter of most plasma proteins and can be regarded as a change in topography and is not to be expected to interfere with protein binding. The three reference particles, which had the smallest surface area, all showed low protein binding.

It was found that polymer P1, which was the most potent complement activator, bound high levels of the complement recognition protein C1q. C1q is a key protein in the activation of the classical pathway of the complement cascade, recognizing and binding structures such as antigen-bound IgG and IgM, as well as some viruses and gram-negative bacteria. The plasma concentration of this large protein (≈ 410 kDa) is 100–180 mg/L. C1q is one of the most highly positive charged (cationic; $pI \sim 9.3$) proteins in human plasma³⁰ and it provides multivalent attachment to the surface via its collagen-like arms. The enrichment of C1q on P1 probably reflects a combination of the chemical nature of the polymer, its large pore size, and the high level of IgG bound to the particles. The high binding of C1q and the gammaglobulin IgG might be explained by electrostatic interactions between the charged proteins and the high density of electrons contributed by the amide functionality of the crosslinker. In addition, P3, which has similar pore size, showed similar high binding of C1q as P1 but the chemical basis for this is not clear. Our results indicate that the nitrogen-containing crosslinker DAP probably also played an important role, since all the DAP-crosslinked polymers tested (six polymers in total) proved to be specifically enriched in C1q to a high degree (data not shown). This explanation is also consistent with the dose-dependent increase in generated C3a that was observed in the initial screenings, when the ratio of crosslinker (DAP) to monomer was increased for polymer P1. Although both P1 and P3 bound significant amounts of IgG and C1q, there was a more than 10-fold difference in complement activation between the polymers (12,600 ng/mL of C3a for P1 vs. 1,100 ng/mL for P3). A plausible explanation for this difference may be found in their binding of RCAs: the levels of factor H were slightly lower for P1, but the most pronounced discrepancy was seen regarding C1INH where P1 bound approximately 1/3 of the amount compared to P3 (Table IV). It is therefore likely that the amount of C1INH and factor H associated with P3 is sufficient to attenuate complement activation induced by this polymer while there are too low amounts of RCAs on P1, resulting in massive complement activation.

P5 and P6, which were poor activators of complement, had similar and distinctive adsorption patterns with a significant enrichment of vitronectin (75 kDa), ApoAIV (45

kDa), and ApoAI (25 kDa) when analysed by SDS-PAGE. The binding of these proteins detected by COPAS and particle ELISA was lower, most likely due to the fact that these techniques are limited to measuring molecules exposed on the surface of the polymer, whereas the electrophoresis-based data includes all proteins adsorbed onto and inside the porous particles. Vitronectin is a multifunctional protein that has, among other roles, been shown to act as a complement regulator that decreases cytolytic activity by interfering with the membrane attack complex. Furthermore, the protein is known to bind to biomaterial surfaces and to decrease the complement activation on polystyrene and on bacterial surfaces.^{31–33} Apolipoprotein AI is the major component in high-density lipoproteins (HDL) and can be found both incorporated into HDL and in free form in plasma. Apolipoprotein AIV is an acidic plasma glycoprotein which has low affinity for lipoproteins and is the most hydrophilic of all the human apolipoproteins.³⁴ Several groups have reported that apolipoproteins are adsorbed to biomaterial surfaces in significant amounts, but the biological importance of this binding is still unclear.^{17,35} P2, which induced negligible complement activation in the initial screening, bound a higher amount of factor H and vitronectin compared to P4 which induced moderate activation (2000 ng C3a/ml), suggesting that the difference could be due to a more active down regulation on P2. Alternatively, the lack of activation might be related to binding of albumin and fibrinogen. Of all the tested particles, P2 bound the highest proportion of albumin. In addition, the protein bound to both P2 and P4 contained a high proportion of fibrinogen. When adsorbed to surfaces, both albumin and fibrinogen can attenuate complement activation by failing to provide binding sites for generated C3b. Consequently; lower amounts of alternative pathway complexes are formed, attenuating the amplification of complement activation by the alternative pathway,⁷ at least at the initial stage of blood exposure.

In conclusion, we have, by using a model system consisting of newly synthesized polymers in which we can change the charge, the wettability, and the functionally available surface, etc., defined some of the preconditions for complement activation on material surfaces in contact with blood. (1) The material should not be negatively charged since this tends to lead to deposition of IgG and C1q and thus induce complement activation (P1 and P3). (2) It should preferentially be hydrophobic with the capacity to bind apolipoproteins, possibly in the form of HDL (P5 and P6). (3) It should present a low available surface area, which is made possible by the introduction of a nanostructure of pores that are small enough to exclude most plasma proteins, (P2, P4, P5, and PVC).

These results in part confirm earlier conclusions obtained using less defined systems (Ref. 8 and references therein). Future studies of these polymers in the form of planar surfaces will possibly require additional surface analyses, to confirm that the surface properties of the polymers does not significantly differ from the bulk compositions. The result demonstrates that this polymer model is a powerful

and comprehensive system to define the requirements for the activation of innate immune and inflammatory systems in blood *in vitro* and in the future, *in vivo*. The overall aim for these approaches is to construct novel potential biomaterials with hemocompatibility superior to those used in the clinic today.

ACKNOWLEDGMENTS

The authors thank Dr. Deborah McClellan for excellent editorial assistance.

REFERENCES

- Kourtzelis I, Markiewski MM, Doumas M, Rafail S, Kambas K, Mitroulis I, Panagoutsos S, Passadakis P, Vargemezis V, Magotti P, Qu H, Mollnes TE, Ritis K, Lambris JD. Complement anaphylatoxin C5a contributes to hemodialysis-associated thrombosis. *Blood* 2010;116:631–639.
- Markiewski MM, Nilsson B, Ekdahl KN, Mollnes TE, Lambris JD. Complement and coagulation: Strangers or partners in crime? *Trends Immunol* 2007;28:184–192.
- Horbett T. The role of adsorbed proteins in tissue response to biomaterials. In: Ratner BD, Hoffman A, Schoen FJ, Lemons JE, editors. *Biomaterials science, an introduction to materials in medicine*, 2nd ed. London: Elsevier Academic Press; 2004. p 237–246.
- Andersson J, Ekdahl KN, Larsson R, Nilsson UR, Nilsson B. C3 adsorbed to a polymer surface can form an initiating alternative pathway convertase. *J Immunol* 2002;168:5786–5791.
- Wettero J, Bengtsson T, Tengvall P. C1q-independent activation of neutrophils by immunoglobulin M-coated surfaces. *J Biomed Mater Res* 2001;57:550–558.
- Gorbet MB, Sefton MV. Biomaterial-associated thrombosis: Roles of coagulation factors, complement, platelets and leukocytes. *Biomaterials* 2004;25:5681–5703.
- Andersson J, Ekdahl KN, Lambris JD, Nilsson B. Binding of C3 fragments on top of adsorbed plasma proteins during complement activation on a model biomaterial surface. *Biomaterials* 2005;26:1477–1485.
- Nilsson B, Ekdahl KN, Mollnes TE, Lambris JD. The role of complement in biomaterial-induced inflammation. *Mol Immunol* 2007;44:82–94.
- Bäck J, Huber-Lang M, Elgue G, Kalbitz M, Sanchez J, Ekdahl KN, Nilsson B. Distinctive regulation of contact activation by antithrombin and C1-inhibitor on activated platelets and material surfaces. *Biomaterials* 2009;30:6573–6580.
- Wu Y, Simonovsky FI, Ratner BD, Horbett TA. The role of adsorbed fibrinogen in platelet adhesion to polyurethane surfaces: A comparison of surface hydrophobicity, protein adsorption, monoclonal antibody binding, and platelet adhesion. *J Biomed Mater Res A* 2005;74:722–738.
- Nilsson B, Korsgren O, Lambris JD, Ekdahl KN. Can cells and biomaterials in therapeutic medicine be shielded from innate immune recognition? *Trends Immunol* 2009;31:32–38.
- Ekdahl KN, Nilsson B, Gölander CG, Elwing H, Lassen B, Nilsson UR. Complement activation on radio frequency plasma modified polystyrene surfaces. *J Coll Interface Sci* 1993;158:121–128.
- Tengvall P, Askendal A, Lundstrom I, Elwing H. Studies of surface activated coagulation: Antisera binding onto methyl gradients on silicon incubated in human plasma *in vitro*. *Biomaterials* 1992;13:367–374.
- Francoise Gachon AM, Mallet J, Tridon A, Deteix P. Analysis of proteins eluted from hemodialysis membranes. *J Biomater Sci Polym Ed* 1991;1:263–276.
- Bonomini M, Pavone B, Siroli V, Del Buono F, Di Cesare M, Del Boccio P, Amoroso L, Di Ilio C, Sacchetta P, Federici G, Urbani A. Proteomics characterization of protein adsorption onto hemodialysis membranes. *J Proteome Res* 2006;5:2666–2674.
- Rosengren A, Pavlovic E, Oscarsson S, Krajewski A, Ravaglioli A, Piancastelli A. Plasma protein adsorption pattern on characterized ceramic biomaterials. *Biomaterials* 2002;23:1237–1247.
- Magnani A, Barbucci R, Lamponi S, Chiumento A, Paffetti A, Trabalzini L, Martelli P, Santucci A. Two-step elution of human serum proteins from different glass-modified bioactive surfaces: A comparative proteomic analysis of adsorption patterns. *Electrophoresis* 2004;25:2113–2424.
- Hoshino Y, Koide H, Urakami T, Kanazawa H, Kodama T, Oku N, Shea KJ. Recognition, neutralization, and clearance of target peptides in the bloodstream of living mice by molecularly imprinted polymer nanoparticles: A plastic antibody. *J Am Chem Soc* 2010;132:6644–6645.
- Moghimi SM, Andersen AJ, Hashemi SH, Lettiero B, Ahmadvand D, Hunter AC, Andresen TL, Hamad I, Szebeni J. Complement activation cascade triggered by PEG-PL engineered nanomedicines and carbon nanotubes: The challenges ahead. *J Control Release* 2010;146:175–181.
- Lopez A, Persson C, Hilborn J, Engqvist H. Synthesis and characterization of injectable composites of poly[D,L-lactide-co-(epsilon-caprolactone)] reinforced with beta-TCP and CaCO3 for intervertebral disk augmentation. *J Biomed Mater Res B Appl Biomater* 2010;95:75–83.
- Seyfert UT, Biehl V, Schenk J. *In vitro* hemocompatibility testing of biomaterials according to the ISO 10993-4. *Biomol Eng* 2002;19:91–96.
- Mollnes TE, Brekke OL, Fung M, Fure H, Christiansen D, Bergseth G, Videm V, Lappegård KT, Köhl J, Lambris JD. Essential role of the C5a receptor in E coli-induced oxidative burst and phagocytosis revealed by a novel lepirudin-based human whole blood model of inflammation. *Blood* 2002;100:1869–1877.
- Bexborn F, Engberg AE, Sandholm K, Mollnes TE, Hong J, Nilsson Ekdahl K. Hirudin versus heparin for use in whole blood *in vitro* biocompatibility models. *J Biomed Mater Res A* 2009;89:951–959.
- Ekdahl KN, Nilsson B, Pekna M, Nilsson UR. Generation of iC3 at the interface between blood and gas. *Scand J Immunol* 1992;35:85–91.
- Sugio S, Kashima A, Mochizuki S, Noda M, Kobayashi K. Crystal structure of human serum albumin at 2.5 Å resolution. *Protein Eng* 1999;12:439–446.
- You HX, Lowe CR. AFM studies of protein adsorption. II. Characterization of immunoglobulin G adsorption by detergent washing. *J Coll Interface Sci* 1996;182:586–5601.
- Williams DF. On the mechanisms of biocompatibility. *Biomaterials* 2008;29:2941–2953.
- Ferraz N, Carlsson J, Hong J, Ott MK. Influence of nanopore size on platelet adhesion and activation. *J Mater Sci Mater Med* 2008;19:3115–3121.
- Ferraz N, Nilsson B, Hong J, Karlsson Ott M. Nanopore size affects complement activation. *J Biomed Mater Res A* 2008;87:575–581.
- Loos M, Trinder P, Kaul M. Components and reactivity. In: Rother K, Till GO, Hänsch GM, editors. *The complement system*. Berlin Heidelberg: Springer-Verlag; 1998; p. 1–22.
- Hayman EG, Pierschbacher MD, Suzuki S, Ruoslahti E. Vitronectin—A major cell attachment-promoting protein in fetal bovine serum. *Exp Cell Res* 1985;160:245–248.
- Lundberg F, Lea T, Ljungh A. Vitronectin-binding staphylococci enhance surface-associated complement activation. *Infect Immun* 1997;65:897–902.
- Hallstrom T, Blom AM, Zipfel PF, Riesbeck K. Nontypeable *Haemophilus influenzae* protein E binds vitronectin and is important for serum resistance. *J Immunol* 2009;183:2593–2601.
- Weinberg RB. Differences in the hydrophobic properties of discrete alpha-helical domains of rat and human apolipoprotein A-IV. *Biochim Biophys Acta* 1987;918:299–303.
- Cornelius RM, Archambault J, Brash JL. Identification of apolipoprotein A-I as a major adsorbate on biomaterial surfaces after blood or plasma contact. *Biomaterials* 2002;23:3583–3587.